

N McCullough

GAMMA RAY LOG

FILING NO. HGR-93667

COMPANY E. G. & G. -BOYLES BROTHERS

WELL INEL CORE HOLE #2A

FIELD INEL TEST SITE

COUNTY BUTTE STATE IDAHO

LOCATION INEL TEST SITE

OTHER SERVICES:

SEC. TWP. RGE. ELEVATIONS:

PERMANENT DATUM GL ELEV.

LOG MEASURED FROM GL

DRILLING MEASURED FROM GL

DATE 9-22-78

RUN NO. ONE

TYPE LOG GAMMA RAY

DEPTH - DRILLER 3000'

DEPTH - LOGGER 2995'

BOTTOM LOGGED INTERVAL 2990'

TOP LOGGED INTERVAL 0

TYPE FLUID IN HOLE MUD

SALINITY PPM CL.

DENSITY LB./GAL.

LEVEL 238'

MAX. REC. TEMP. DEG. F.

OPR. RIG TIME 3 HOURS

RECORDED BY WILSON

WITNESSED BY MR. HARRINGTON

BORE HOLE RECORD				CASING RECORD			
NO.	BIT	FROM	TO	SIZE	WGT.	FROM	TO
1				3"	7.57#	0	1936'

THIS HEADING AND LOG CONFORMS TO API RECOMMENDED STANDARD PRACTICE RP-33 (P)

EQUIPMENT DATA

GAMMA RAY				NEUTRON			
RUN NO.	TOOL MODEL NO.	DIAM.	DETECT. MODEL NO.	RUN NO.	LOG TYPE	TOOL MODEL NO.	DIAM.
1 & 1A	5571-0-0	1.375"	836-19				
		GM					
		12"					
GENERAL							
HOIST TRUCK NO.	1218			SOURCE MODEL NO.			
INST. TRUCK NO.	1218			SERIAL NO.			
TOOL SERIAL NO.				SPACING			
LOG TICKET NO.	11671			TYPE			
				STRENGTH			



LOGGING DATA

GAMMA RAY				NEUTRON			
RUN NO.	DEPTHS FROM	TO	SPEED FT./MIN.	T. C. SEC.	SENS. SETTINGS	ZERO DIV. L. OR R.	API GR. UNITS PER LOG DIV.
1	2640'	0	40	6	G-600 D-400 R-4(x4)	0	5.25
1A	2990'	2606'	40	6	G-600 D-400 R-4(x4)		5.25

REFERENCE LITERATURE:

REMARKS:

FOLD HERE



2600

2650

2700

2750




2800

2850

2900

2950

LOG BOTTOM - 2990'




RUN #1A
(9-24-78 - AFTER WASH OUT)



RUN #1

0 GAMMA RAY ZERO & STATISTICAL



API UNITS

0


21


42

63

84

0






50

100

150

200

250



300


350

400

450

500

550



550


600

650

700

750

800



800


850

900

950

1000

1050



1050


1100

1150

1200

1250

1300



1300


1350

1400

1450

1500

1550



1550


1600

1650

1700

1750

1800



1800


1850

1900

1950

2000

2050



2050


2100


2150

2200


2250

2300





2300 2350 2400 2450 2500 2450



2450

2500

2550

2600

84

63

42


21

0

API UNITS

LOG BOTTOM - 2640'

E. G. & G. BOYLES BROTHERS
INEL CORE HOLE #2A
INEL TEST SITE FIELD
BUTTE COUNTY, IDAHO



REPEAT SECTION

2450

2500

2550

2600

