

**Schlumberger**

**SIMULTANEOUS  
COMPENSATED NEUTRON-  
FORMATION DENSITY**

COMPANY E G & G

WELL INEL # 1

FIELD WILDCAT

COUNTY BUTTE STATE IDAHO

LOCATION			
API SERIAL NO.	SEC.	TWP.	RANGE
	1	3N	29E

Other Services:  
DIL DLL/GR  
HRT FIL/GR  
BGT PFC/GR  
HD?

Permanent Datum: GL; Elev.: 4874.86  
Log Measured From GL 0 Ft. Above Perm. Datum  
Drilling Measured From GL

Elev.: K.B. 4895  
D.F. \_\_\_\_\_  
G.L. 4874.86

Date	<u>3/3/79</u>	<u>3/27/79</u>	<u>5/19/79</u>
Run No.	<u>ONE</u>	<u>TWO</u>	<u>THREE</u>
Depth-Driller	<u>1524</u>	<u>3555 (STRAP)</u>	<u>10333</u>
Depth-Logger	<u>1557</u>	<u>3554</u>	<u>10121</u>
Btm. Log Interval	<u>1554</u>	<u>3552</u>	<u>10118</u>
Top Log Interval	<u>340</u>	<u>1488</u>	<u>3559</u>
Casing-Driller	<u>30" @ 40'</u>	<u>20 @ 1511</u>	<u>13 3/8 @ 3559</u>
Casing-Logger		<u>1511</u>	<u>3559</u>
Bit Size	<u>26"</u>	<u>17.50</u>	<u>12.25</u>
Type Fluid in Hole	<u>FGM</u>	<u>LSND</u>	<u>FRESH WATER</u>
Dens.	<u>8.5</u>	<u>50</u>	<u>8.8</u>
Visc.			<u>57</u>
pH		<u>8.0</u>	<u>13.6</u>
Fluid Loss		<u>ml</u>	<u>ml</u>
Source of Sample	<u>MUDTANK</u>	<u>MUD TANK</u>	<u>MUD TANK</u>
Rm @ Meas. Temp.	<u>6.07 @ 45 °F</u>	<u>8.57 @ 70 °F</u>	<u>@ °F</u>
Rmf @ Meas. Temp.	<u>5.77 @ 75 °F</u>	<u>8.94 @ 59 °F</u>	<u>@ °F</u>
Rmc @ Meas. Temp.	<u>9.11 @ 45 °F</u>	<u>12.86 @ 70 °F</u>	<u>@ °F</u>
Source: Rmf	<u>M</u>	<u>C</u>	
Rmc			
Rm @ BHT	<u>4.34 @ 63 °F</u>	<u>5.22 @ 116 °F</u>	<u>1.75 @ 260 °F</u>
Circulation Stopped	<u>4/4 @ 0300</u>	<u>3/27 @ 0130</u>	<u>5/18 @ 0200</u>
Logger on Bottom	<u>4/4 @ 1100</u>	<u>3/27 @ 1630</u>	<u>0130</u>
Max. Rec. Temp.	<u>63 °F</u>	<u>116 °F</u>	<u>260 °F</u>
Equip.	<u>8073 EVSTN</u>	<u>8060 EVSTN</u>	<u>8056 EVSTN</u>
Location			
Recorded By	<u>RAIVO</u>	<u>ROONEY</u>	<u>BRADLEY</u>
Witnessed By Mr.	<u>T. E. NEWMAN</u>	<u>STRAWN/NELSON</u>	<u>STRAWN</u>

The well name, location and borehole reference data were furnished by the customer.

FOLD HERE		Type Log		Depth	
RUN NO.	<u>ONE</u>	<u>TWO</u>	<u>THREE</u>		
Service Order No.	<u>73963</u>	<u>40303</u>	<u>74054</u>		
Fluid Level	<u>FULL</u>	<u>FULL</u>	<u>FULL</u>		
Salinity, PPM CL.		<u>250</u>	<u>N/A</u>		
Speed - F.P.M.	<u>30</u>	<u>30</u>	<u>30</u>		
<b>EQUIPMENT DATA</b>					
Dens. Panel	<u>284</u>	<u>NLM 178</u>	<u>124</u>		
Dens. Cart.	<u>104</u>	<u>65</u>	<u>108</u>		
Dens. Skid.	<u>98</u>	<u>58</u>	<u>115</u>		
Dens. Sonde	<u>82</u>	<u>59</u>	<u>94</u>		
Dens. Source	<u>5308</u>	<u>J 5025</u>	<u>5319</u>		
Dens. Calibrator	<u>25</u>	<u>606</u>	<u>27</u>		
Neut. Panel	<u>284</u>	<u>NLM 178</u>	<u>124</u>		
Neut. Cart.	<u>1364</u>	<u>1252</u>	<u>1488</u>		
Neut. Source	<u>1307</u>	<u>1281</u>	<u>1559</u>		
Neut. Calibrator	<u>1371</u>	<u>1342</u>	<u>1140</u>		
GR Cart.	<u>2055</u>	<u>684</u>	<u>CSU</u>		
Memorizer Panel	<u>CSU</u>	<u>CSU</u>	<u>CSU</u>		
Tape Recorder (TTR)	<u>CSU</u>	<u>CSU</u>	<u>CSU</u>		
Depth Encoder (DRE)	<u>CSU</u>	<u>CSU</u>	<u>CSU</u>		
Pressure Wheel (CPW)	<u>CSU</u>	<u>CSU</u>	<u>CSU</u>		
Centralizers:	<u>ECCENT</u>	<u>BOWSPRING</u>			
Enter Spring,	<u>BOWSPRING</u>	<u>ONE</u>			
Standoffs,					
In-line, or None					
S. O. - Inches					
<b>CALIBRATION DATA</b>					
BKG. CPS API	<u>34</u>	<u>47</u>	<u>46.25</u>		
Source CPS API	<u>197</u>	<u>195</u>	<u>213.10</u>		
Sens. - Cal	<u>150/TRK</u>	<u>0-165</u>	<u>0-150</u>		
T. C. - Cal	<u>AUTO</u>	<u>AUTO</u>	<u>AUTO</u>		
Short Spacing - Before Log	<u>2.28</u>	<u>RATIO CAL</u>	<u>RATIO =</u>		
Long Spacing - Before Log	<u>2.28</u>	<u>= 2.22</u>	<u>2.26</u>		
Short Spacing - After Log		<u>RATIO CAL</u>	<u>RATIO =</u>		
Long Spacing - After Log		<u>= 2.22</u>	<u>2.27</u>		
P1 - Before Log	<u>387</u>	<u>329</u>	<u>428</u>	<u>SHOP</u>	
P2 - Before Log	<u>695</u>	<u>584</u>	<u>728</u>		
P1 - After Log		<u>324</u>	<u>428</u>	<u>CALS</u>	
P2 - After Log		<u>590</u>	<u>728</u>	<u>USED</u>	

REMARKS:  
GR & CNL OUIT @ 350' LOG  
STOPPED 340' CAL MAX  
READING 24 3/4  
RUN 2 - MAX. CALIPER OPENING  
= 22"  
RUN 3 - GR BACKUP SCALE =  
150 - 300 API

0179 074034



LOGGING DATA


DEPTH		CNP			FDC			GR				
Top	Bottom	Porosity Scale	Matrix	Auto Corr. or Hole Size Setting	Porosity Scale	Grain Density	Liquid Density	Hole Fluid	Sens. Logged	T. C.	Zero. Div. Left	Scale Per 100 Div.
340	1554	20/TK	SS	AUTO	20/TK	2.65	1.0	WAT	150TKAUTO	0	0	150
1488	3552	20/TK	SS	AUTO	20/TK	2.65	1.0	L10	0-150AUTO	0	0	150
3559	10118	20/TRK	SS	AUTO	20/TK	2.65	1.0	L10	0-150AUTO	0	0	150


All interpretations are opinions based on inferences from electrical or other measurements and we cannot, and do not guarantee the accuracy or correctness of any interpretations, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to Clause 4 of our General Terms and Conditions as set out in our current Price Schedule.

CALI(IN) > 30.00  
 GR (GAPI) 150.0

TENS(LB) > 10000.0  
 NPHIC > 0.7000  
 DPHIC > 0.3000  
 NPHIC > -0.100  
 NPHIC > -0.100


14  
 14  
 14  
 14  
 14  
 14






600

700










800

900

1000






1100

1200






1300



1400

FR

15  
15  
15  
15

REPEAT SECTION





1300



1400

FR

14  
14  
14  
14  
14





14  
14  
14





14  
14  
14  
2  
2  
2


101-79

Caliper




2  
2  
101  
101  
101  
CR






1700

1800









1900

2000

2100






2200

2300








2400

2500


2600






2700

2800









2900

3000


3100







3200

3300









- 101
- 101
- 101
- 101
- 102
- 102

REPEAT SECTION








3400

3500


FR








102  
102  
102  
102




Run 2

2 2 2 2 2 2 2 2 2 2




Run 3

SCALE CHANGE  
Caliper





Run 2




Run 3

9 9 9 9 9 9 7 7 7 7 7 7


LR






3700

3800









3900

4000


4100






4200

4300









4400

4500


4600






4700

4800









4900

5000

5100




Gamma Ray  
BACK-UP




5200

5300









5400

5500


5600






5700

5800









5900

6000


6100






6200

6300









6400

6500


6600






6700

6800









6900

7000


7100






7200

7300









7400

7500


7600






7700

7800









7900

8000

8100




0-02-80 07:02-42




8200

8300









8400

8500


8600






8700

8800









8900

9000

9100




GR




9200

9300









9400

9500


9600







9700

9800









REPEAT SECTION

NNNNN 666666



LR


9700

9800











6  
6  
6  
6  
6  
6



**REPEAT SECTION**



CALIPER > 16.00  
6.000  
GR <GAPI> 150.0  
0.0

TENS<LB> > 0.0  
10000.  
NPHI< > 0.7000  
DPHI< > 0.3000  
NPHI< > -0.100  
0.3000

5  
5  
5





DEPTH

CALIPER DIAM. IN INCHES 20" 30"  
GAMMA RAY API UNITS 150 300

CORRECTION GRAMS/CC  
Use this scale when correction curve is presented in Track 2 OR Use this scale when correction curve is presented in Track 3  
+ .25 0 - .25  
BULK DENSITY GRAMS/CC 2.0 2.5 3.0  
1.0 2.0

Run 1






400

BULK

GR









700

800

900









1000

1100






1200

1300

1400



CALIPER

IHM 100 cu. ft.

IHM 10 cu. ft.

GR



6-01-70

REPEAT SECTION

15  
15  
15  
15

1300

1400

FR




BULK



100 cu. ft.

GR



CALIPER

10 cu. ft.







14  
14  
14  
14  
14  
14  
9  
9



7  
7  
2  
2  
2



7  
7  
2  
2  
2

Caliper  
SCALE CHANGE




2  
2  
2  
104  
104  
104

2  
2  
2  
104  
104  
104







1600

1700


1800






1900

2000









2100

2200


2300





2400

2500









2600

2700


2800





2900

3000









3100

3200


3300





3400


3500






1-79 074034

REPEAT SECTION



104  
104  
104  
104  
104  
104  
103  
103  
103  
103  
103  
103

3300 3400 3500




ρB

HHV 100 cu. ft.



Caliper

HHV 10 cu. ft.

GR



103  
103  
333




Run 2

Run 2



Caliper  
SCALE CHANGE





Run 3

Run 3


999999  
777777

Run 3



LR






3600

3700

3800









3900

4000









4100

4200

4300








4400


4500



Gamma Ray  
BACK-UP

Gamma Ray







4600

4700


4800






4900

5000









5100

5200

5300








5400

5500








5600

5700

5800









5900

6000









6100

6200

6300








6400

6500









6600

6700

6800









6900

7000








7100

7200


7300



Gamma Ray  
BACK-UP


Gamma Ray






7400

7500









7600

7700






7800

7900

8000








9100

9200







8300

8400

8500









8600

8700







8800

8900

9000









9100

9200







9300

9400

9500








9600

9700






9800

9900

10000









6-01-79

074084

REPEAT SECTION




N N N N N 6 6 6 6 6 6 LR



10100


FR

9700




9800

9900









6  
6  
6  
6  
6  
6

REPEAT SECTION



5  
5  
5  
6

Run 1 BEFORE SURVEY CALIBRATION SUMMARY

PERFORMED: 79/03/03  
PROGRAM FILE: NUC (VERSION 12.4A 78/12/ 8)

SGTE DETECTOR CALIBRATION SUMMARY

MEASURED

6-01

0740340



MEASURED BKGD JIG CALIBRATED UNITS  
 34 197 164 GAPI

CNTA DETECTOR CALIBRATION SUMMARY

TANK CALIBRATED MEASURED JIG CALIBRATED  
 0.0 2.28 2.15

NRAT

PGTK DETECTOR CALIBRATION SUMMARY

BLOCK CALIBRATED MEASURED JIG CALIBRATED UNITS  
 0 387 336  
 0 695 527

FFDC  
 NFDC

PGTK CALIPER CALIBRATION SUMMARY

MEASURED CALIBRATED UNITS  
 SMALL LARGE IN  
 10.3 15.0 12.0 18.5

CALI

6  
 6  
 6  
 6  
 15871  
 15871  
 15871

Run 1 SHOP SUMMARY

PERFORMED: 79/03/01  
 PROGRAM FILE: SHOP (VERSION 12.4 78/12/ 8)

CNTA DETECTOR CALIBRATION SUMMARY

TANK CALIBRATED MEASURED JIG CALIBRATED  
 2.28 2.15 2.28 2.15

NRAT

(CNC:1364 , CNB:1371 )

15871  
 15871

Run 1 SHOP SUMMARY

PERFORMED: 79/03/02  
 PROGRAM FILE: SHOP (VERSION 12.4 78/12/ 8)

PGTK DETECTOR CALIBRATION SUMMARY

BLOCK CALIBRATED MEASURED JIG CALIBRATED UNITS  
 396 336 337  
 694 527 527

FFDC  
 NFDC

(PGS:82 , PGC:104 , SFT:25 )

16890  
 16890  
 16890  
 16890

6-01-79 074034

6-01-79 074034



Run 2 BEFORE SURVEY CALIBRATION SUMMARY

PERFORMED: 79/03/27  
PROGRAM FILE: NUC (VERSION 12.4A 78/12/ 8)

SGTE DETECTOR CALIBRATION SUMMARY

MEASURED  
BKGD 47 JIG 195 CALIBRATED 164 UNITS GAPI

CNTA DETECTOR CALIBRATION SUMMARY

TANK CALIBRATED 0.0 MEASURED 2.22 JIG CALIBRATED 2.16

PGTE DETECTOR CALIBRATION SUMMARY

BLOCK CALIBRATED 0 0 MEASURED 329 584 JIG CALIBRATED 336 527 UNITS CPS CPS

PGTE CALIPER CALIBRATION SUMMARY

MEASURED SMALL 7.3 LARGE 10.0 CALIBRATED SMALL 8.0 LARGE 11.9 UNITS IN

6-01-79 074034

2  
2  
2

Run 2 AFTER SURVEY TOOL CHECK SUMMARY

PERFORMED: 79/03/27  
PROGRAM FILE: NUC (VERSION 12.4A 78/12/ 8)

CNTA TOOL CHECK

BEFORE 2.16 AFTER 2.15 JIG

PGTE POROSITY CHANGE (LIME): -0.000

PGTE TOOL CHECK

BEFORE 336 527 AFTER 335 530 UNITS CPS CPS JIG

6-01-79 074034

7  
7

Run 2 SHOP SUMMARY

PERFORMED: 79/01/16  
PROGRAM FILE: SHOP (VERSION 10.52 79/ 6/89)

CNTA DETECTOR CALIBRATION SUMMARY

TANK  
MEASURED CALIBRATED MEASURED CALIBRATED  
NRAT 2.22 2.16 2.22 2.16

(CNC:1252 , CNB:1342 )

7  
7  
7

Run 2 SHOP SUMMARY

PERFORMED: 79/01/89  
PROGRAM FILE: SHOP (VERSION 12.4 78/12/ 8)

6-01-79 074034

PGTE DETECTOR CALIBRATION SUMMARY

BLOCK JIG  
MEASURED CALIBRATED MEASURED CALIBRATED UNITS  
FFDC 321 336 321 336 CPS  
NFDC 500 527 500 527 CPS  
(PGS:59 , PGC:65 , SFT:606 )

20400  
20400  
20400

5  
5  
5

Run 3 BEFORE SURVEY CALIBRATION SUMMARY

PERFORMED: 79/05/18  
PROGRAM FILE: NUC (VERSION 12.4A 78/12/ 8)

SGTE DETECTOR CALIBRATION SUMMARY

MEASURED JIG UNITS  
BKGD 46 215 164 GAPI

CNTA DETECTOR CALIBRATION SUMMARY

TANK JIG CALIBRATED  
CALIBRATED MEASURED CALIBRATED  
NRAT 0.0 2.26 2.15

PGTK DETECTOR CALIBRATION SUMMARY

BLOCK JIG UNITS  
CALIBRATED MEASURED CALIBRATED  
FFDC 336 417 328 CPS  
NFDC 527 777 563 CPS

PGTK CALIPER CALIBRATION SUMMARY

MEASURED CALIBRATED UNITS  
SMALL LARGE SMALL LARGE UNITS  
CALI 8.8 12.5 8.0 12.0 IN

6-01-79

5



5  
5  
5  
5  
5  
5

0740340

Run 3 AFTER SURVEY TOOL CHECK SUMMARY

PERFORMED: 79/05/19  
PROGRAM FILE: NUC (VERSION 12.4A 78/12/ 8)

CNTA TOOL CHECK

NRAT JIG  
BEFORE AFTER  
2.15 2.16

POROSITY CHANGE (LIME): 0.001

PGTK TOOL CHECK

FFDC JIG  
BEFORE AFTER UNITS  
328 329 CPS  
NFDC 563 564 CPS

9  
9  
9  
9  
9  
20510  
20510

6-01-79 0740340

Run 3 SHOP SUMMARY

PERFORMED: 79/05/16  
PROGRAM FILE: SHOP (VERSION 12.4 78/12/ 8)

PGTK DETECTOR CALIBRATION SUMMARY

BLOCK	JIG		UNITS
	MEASURED	CALIBRATED	
FFDC	428	336	CPS
NFDC	728	527	CPS

(PGS:94 , PGC:108 , SFT:27 )

20510  
20510  
20510  
20510  
20510

4  
4

Run 3 SHOP SUMMARY

PERFORMED: 79/05/07  
PROGRAM FILE: SHOP (VERSION 12.4 78/12/ 8)

CNTA DETECTOR CALIBRATION SUMMARY

MEASURED CALIBRATED JIG

MEASURED CALIBRATED MEASURED CALIBRATED

NRAT 2.25 2.15 2.25 2.16

(CNC:1488 , CNB:1559 )

4  
4  
4  
4  
1